

STAINLESS STEEL CEILING TILES

LAY-IN (Plain)

TECHNICAL DATA SHEET



Features and Benefits:



High-quality properties of non-combustibility and mechanical stability.



Fire & moisture resistance, corrosive resistance.



Easy to clean, durable, easy to install.



Environmentally friendly and recyclable.

Product Specifications

Material	Stainless Steel Grade 201 & 304, comply with ASTM A240/A240M, A370, A480/A480M, A484/A484M, A666.				
Available Thickness	0.4	0.5	0.6	0.7	up to 1.0 mm
	other thickness available upon request				
Finish	Matte finish				
Texture	Available in plain				
Suspension System	Suspension systems T-24 & T-15				
Resistivity (Raw material)	Fire resistance, moisture resistance, corrosive resistance, high thermal conductivity.				
Sizes	1. 600x600mm (Plain) (Metric / Imperial).				
	2. 600x1200mm (Plain) (Metric / Imperial).				
	3. 300x1200mm (Plain) (Metric / Imperial).				

Applications

Wide range for usage/application area (bathrooms, kitchens, wet areas, halls and food and beverage industry, hospitals, shops, airports, exhibition centers ...etc).



System Contents (Components)

1. Stainless steel lay-in ceiling tiles.
2. Tee-Grid Suspension system (T24 /T15) (Main Tee, Cross Tee 120, Cross 60, Wall angle).
3. Suspension Accessories (Rod Hangers, Adjustment Clips & Anchor Bolts).

Supplier and Manufacturer: JAWDAH INDUSTRIAL COMPANY LTD.

Country of Origin: Kingdom of Saudi Arabia



JAWDAH

شركة جودة الصناعة المحدودة
Jawdah Industrial Co. Ltd.

Meed Building, Dabab Street, Riyadh, KSA
T: +966 11 216 6616 F: +966 11 216 6606
E: jawdah@jawdah.sa | www.jawdah.sa